




SECTION



PLAN DETAIL AT WING WALL



PLAN DETAIL AT DOOR

PROVIDE DOUBLE WOOD BUMPER RAILS AT ALL LOCATIONS WITHIN CUSTOMER AREAS SUBJECT TO IMPACT FROM SHOPPING CARTS

CLEARLY IDENTIFY EXTENT OF WOOD BUMPER RAILS ON FLOOR PLANS AND INTERIOR ELEVATIONS

PREFER TO SECTION 10 26 00 "WALL AND EQUIPMENT PROTECTION" FOR INFORMATION ON WOOD BUMPER RAILS AND RIGID WALLCOVERING

COORDINATE MOUNTING / ROUGH-IN HEIGHT OF UTILITIES (ELECTRICAL RECEPTACLES, HOSE BIBS, ACCESS PANELS, ETC.) ON WALLS WITH DOUBLE WOOD BUMPER RAILS TO AVOID INTERRUPTION OF LOWER RAIL FOR UTILITIES THAT ARE MOUNTED TOO LOW. A HEIGHT OF 18" AFF IS RECOMMENDED.

| | | | |
|----------|---|------|--------------------|
| DATE | DEFENSE COMMISSARY AGENCY DIRECTORATE OF ENGINEERING FORT LEE, VIRGINIA - LACKLAND AFB, TEXAS | | DESIGN STANDARD |
| JUN 2022 | TITLE | REF. | 102600-01 |
| | WOOD BUMPER RAIL | REV. | |